



I.AM

Specification Guide

I.AM

I.AM is a totally flexible and versatile table base that provides a complete family of product options for the commercial environment.

I.AM


Round/Square

6 – 10




Meeting Tables

11 – 13




Multi-Leg

14 – 15




Folding


16



Features

17 – 18







I.A.M.

Multi-Leg Finishes

1. Frame Finishes

Standard I.AM frame finishes include black legs with a polished foot. I.AM is also available with chrome legs with a polished foot or in our current season powdercoat colours listed, with custom colour optional.



Colours are representative only, please check with your Thinking Works consultant to view samples of any specific colour.

Tables

Round / Square

Materials Information





Leg Finish

Steel Leg Column

- a. Textured Black (standard)
- b. Chrome
- c. Blanc
- d. Noir
- e. Double Cream
- f. Pink Salt
- g. Nocturnelle
- h. Morello
- i. Scotland Sky
- j. Green Smoke
- k. Moonshine
- l. Byron Blue
- m. Axel





I-1020

720 (standard Height)



I-1021 Castors

720 (standard Height)



Foot Finish

Aluminium Foot

- a. Polished (standard)
- b. Powdercoat (to match column)

Frame Finish

Steel Top Horn

- a. Black Powdercoat

* Maximum Custom Height 1000mm on Glides
900mm on Castors

Maximum inc. worktop 40kg
Maximum Point Load 50kg
Seats 4

Worktop screws are supplied for securing the tabletop to the table base. They are provided as a general recommendation and must be assessed for compatibility with the specific tabletop substrate material and thickness. It is the responsibility of the installation team to determine whether the supplied screws are suitable or should be replaced with fasteners more suitable for the specified worktop substrate and thickness.

Tables

Round / Square

Materials Information

Leg Finish

Steel Leg Column

- a. Textured Black (standard)
- b. Chrome
- c. Blanc
- d. Noir
- e. Double Cream
- f. Pink Salt
- g. Nocturnelle
- h. Morello
- i. Scotland Sky
- j. Green Smoke
- k. Moonshine
- l. Byron Blue
- m. Axel






Foot Finish

Aluminium Foot

- a. Polished (standard)
- b. Powdercoat (to match column)





I-1025 Folding

720 (standard Height)



I-1026 Folding on Castors

720 (standard Height)



* Maximum Custom Height 1000mm on Glides
900mm on Castors

Maximum inc. worktop 40kg
Maximum Point Load 50kg
Seats 4

Worktop screws are supplied for securing the tabletop to the table base. They are provided as a general recommendation and must be assessed for compatibility with the specific tabletop substrate material and thickness. It is the responsibility of the installation team to determine whether the supplied screws are suitable or should be replaced with fasteners more suitable for the specified worktop substrate and thickness.

Tables

Round / Square

Materials Information






Leg Finish

Steel Leg Column

- a. Textured Black (standard)
- b. Chrome
- c. Blanc
- d. Noir
- e. Double Cream
- f. Pink Salt
- g. Nocturnelle
- h. Morello
- i. Scotland Sky
- j. Green Smoke
- k. Moonshine
- l. Byron Blue
- m. Axel







I-1030

720 (standard Height)



I-1031 Castors

720 (standard Height)



Foot Finish

Aluminium Foot

- a. Polished (standard)
- b. Powdercoat (to match column)

Frame Finish

Steel Top Horn

- a. Black Powdercoat

* Maximum Custom Height 695mm
 Maximum inc. worktop 20kg
 Maximum Point Load 30kg
 Seats 4

Worktop screws are supplied for securing the tabletop to the table base. They are provided as a general recommendation and must be assessed for compatibility with the specific tabletop substrate material and thickness. It is the responsibility of the installation team to determine whether the supplied screws are suitable or should be replaced with fasteners more suitable for the specified worktop substrate and thickness.

Tables

Round / Square

Materials Information

Leg Finish

Steel Leg Column

- a. Textured Black (standard)
- b. Chrome
- c. Blanc
- d. Noir
- e. Double Cream
- f. Pink Salt
- g. Nocturnelle
- h. Morello
- i. Scotland Sky
- j. Green Smoke
- k. Moonshine
- l. Byron Blue
- m. Axel

Foot Finish

Aluminium Foot

- a. Polished (standard)
- b. Powdercoat (to match column)


Frame Finish

Steel Top Horn






- a. Black Powdercoat

Maximum inc. worktop 20kg
 Maximum Point Load 30kg
 Seats 4


I-1032 Castors








Gas Lift Height Adjustable



I-1033



Gas Lift Height Adjustable



Worktop screws are supplied for securing the tabletop to the table base. They are provided as a general recommendation and must be assessed for compatibility with the specific tabletop substrate material and thickness. It is the responsibility of the installation team to determine whether the supplied screws are suitable or should be replaced with fasteners more suitable for the specified worktop substrate and thickness.

Tables

Round / Square

Materials Information







Leg Finish

Steel Leg Column

- a. Textured Black (standard)
- b. Chrome
- c. Blanc
- d. Noir
- e. Double Cream
- f. Pink Salt
- g. Nocturnelle
- h. Morello
- i. Scotland Sky
- j. Green Smoke
- k. Moonshine
- l. Byron Blue
- m. Axel







I-1035 Folding

720 (standard Height)



I-1036 Folding on Castors

720 (standard Height)



Maximum inc. worktop 20kg
 Maximum Point Load 30kg
 Seats 4

Worktop screws are supplied for securing the tabletop to the table base. They are provided as a general recommendation and must be assessed for compatibility with the specific tabletop substrate material and thickness. It is the responsibility of the installation team to determine whether the supplied screws are suitable or should be replaced with fasteners more suitable for the specified worktop substrate and thickness.

Tables Rectangle

Materials Information

Leg Finish

Steel Leg Column

- a. Textured Black (standard)
- b. Chrome
- c. Blanc
- d. Noir
- e. Double Cream
- f. Pink Salt
- g. Nocturnelle
- h. Morello
- i. Scotland Sky
- j. Green Smoke
- k. Moonshine
- l. Byron Blue
- m. Axel

Foot Finish

Aluminium Foot

- a. Polished (standard)
- b. Powdercoat (to match column)



Frame Finish

Polished Aluminium Top Horn
Steel Black Powdercoat Rails

- * Maximum Custom Height 1000mm on Glides
900mm on Castors
- Maximum inc. worktop 100kg
- Maximum Point Load 50kg
- Seats 4-6



I-1000, I-1001, I-1002

720 (standard Height)



I-1010, I-1011, I-1012

720 (standard Height)



Worktop screws are supplied for securing the tabletop to the table base. They are provided as a general recommendation and must be assessed for compatibility with the specific tabletop substrate material and thickness. It is the responsibility of the installation team to determine whether the supplied screws are suitable or should be replaced with fasteners more suitable for the specified worktop substrate and thickness.

Tables

Rectangle

Materials Information

Leg Finish

Steel Leg Column

- a. Textured Black (standard)
- b. Chrome
- c. Blanc
- d. Noir
- e. Double Cream
- f. Pink Salt
- g. Nocturnelle
- h. Morello
- i. Scotland Sky
- j. Green Smoke
- k. Moonshine
- l. Byron Blue
- m. Axel

Foot Finish





Aluminium Foot

- a. Polished (standard)
- b. Powdercoat (to match column)


Frame Finish

Polished Aluminium Top Horn
Steel Black Powdercoat Rails

I-1040



I-1041



* Maximum Custom Height	1000mm
Maximum inc. worktop	130kg
Maximum Point Load	50kg
Seats	6-18

Worktop screws are supplied for securing the tabletop to the table base. They are provided as a general recommendation and must be assessed for compatibility with the specific tabletop substrate material and thickness. It is the responsibility of the installation team to determine whether the supplied screws are suitable or should be replaced with fasteners more suitable for the specified worktop substrate and thickness.

Tables Boatshape

Materials Information

Leg Finish

Steel Leg Column

- a. Textured Black (standard)
- b. Chrome
- c. Blanc
- d. Noir
- e. Double Cream
- f. Pink Salt
- g. Nocturnelle
- h. Morello
- i. Scotland Sky
- j. Green Smoke
- k. Moonshine
- l. Byron Blue
- m. Axel

Foot Finish





Aluminium Foot

- a. Polished (standard)
- b. Powdercoat (to match column)


Frame Finish

Polished Aluminium Top Horn
Steel Black Powdercoat Rails

I-1044



I-1046



* Maximum Custom Height	1000mm
Maximum inc. worktop	160kg
Maximum Point Load	50kg
Seats	6-18

Worktop screws are supplied for securing the tabletop to the table base. They are provided as a general recommendation and must be assessed for compatibility with the specific tabletop substrate material and thickness. It is the responsibility of the installation team to determine whether the supplied screws are suitable or should be replaced with fasteners more suitable for the specified worktop substrate and thickness.

Multi-Leg Round/Square

Materials Information

I-1070

Leg Finish

Steel Leg Column and Lower Frame

- a. Textured Black (standard)
- b. Chrome
- c. Blanc
- d. Noir
- e. Double Cream
- f. Pink Salt
- g. Nocturnelle
- h. Morello
- i. Scotland Sky
- j. Green Smoke
- k. Moonshine
- l. Byron Blue
- m. Axel







Foot Finish

Aluminium Foot

- a. Polished - Standard
- b. Powdercoat - to match frame

Frame Finish

Polished Aluminium Top Horn



* Maximum Custom Height	1000mm
Maximum inc. worktop	80kg
Maximum Point Load	50kg
Seats	4-6

Worktop screws are supplied for securing the tabletop to the table base. They are provided as a general recommendation and must be assessed for compatibility with the specific tabletop substrate material and thickness. It is the responsibility of the installation team to determine whether the supplied screws are suitable or should be replaced with fasteners more suitable for the specified worktop substrate and thickness.

Multi-Leg Rectangle

Materials Information

Leg Finish

Steel Leg Column

- a. Textured Black (standard)
- b. Chrome
- c. Blanc
- d. Noir
- e. Double Cream
- f. Pink Salt
- g. Nocturnelle
- h. Morello
- i. Scotland Sky
- j. Green Smoke
- k. Moonshine
- l. Byron Blue
- m. Axel

Foot Finish

Aluminium Foot



- a. Polished (standard)
- b. Powdercoat (to match column)

Frame Finish


Polished Aluminium Top Horn
Steel Black Powdercoat Rails

* Maximum Custom Height	1000mm
Maximum inc. worktop	160kg
Maximum Point Load	50kg
Seats	4-24


I-1050 4 Leg




I-1051 6 Leg



I-1052 8 Leg



I-1053 10 Leg



Worktop screws are supplied for securing the tabletop to the table base. They are provided as a general recommendation and must be assessed for compatibility with the specific tabletop substrate material and thickness. It is the responsibility of the installation team to determine whether the supplied screws are suitable or should be replaced with fasteners more suitable for the specified worktop substrate and thickness.

Tables Folding




Materials Information

Leg Finish

Steel Leg Column

- a. Textured Black (standard)
- b. Chrome
- c. Blanc
- d. Noir
- e. Double Cream
- f. Pink Salt
- g. Nocturnelle
- h. Morello
- i. Scotland Sky
- j. Green Smoke
- k. Moonshine
- l. Byron Blue
- m. Axel

I-1080 , I-1082, I-1084, I-1086 720 (standard Height)






I-1081, I-1083, I-1085, I-1087 720 (standard Height)

Foot Finish

Aluminium Foot

- a. Polished (standard)
- b. Powdercoat (to match column)



* Maximum Custom Height	1000mm on Glides 900mm on Castors
Maximum inc. worktop	24kg
Maximum Point Load	30kg
Seats	4-6

Worktop screws are supplied for securing the tabletop to the table base. They are provided as a general recommendation and must be assessed for compatibility with the specific tabletop substrate material and thickness. It is the responsibility of the installation team to determine whether the supplied screws are suitable or should be replaced with fasteners more suitable for the specified worktop substrate and thickness.

Tables Features

Materials Information

Frame Finish

Steel Slingshot



a. Powdercoat (to match frame)

Steel Power/Data Beam

a. Black Powdercoat

Powerbox Management

Slingshot



Powerbox Slingshot

Suitable for I-1040 and I-1041 table frames

Replaces I.AM leg column to provide placement of powerboxes without frame interference

Made to order to cater for specified powerbox requirements and size

Provides 75mm clearance around powerbox to ensure fitment without frame interference

Power/Data Beam

Suitable for I-1000, I-1001 and I-1002 frames

Suitable for I-1010, I-1011 and I-1012 frames



Replaces central rail to provide placement of powerboxes without frame interference

Made to order to cater for specified powerbox requirements and size

Provides 50mm clearance around powerbox to ensure fitment without frame interference

Powerbox Management

Power/Data Beam



Worktop screws are supplied for securing the tabletop to the table base. They are provided as a general recommendation and must be assessed for compatibility with the specific tabletop substrate material and thickness. It is the responsibility of the installation team to determine whether the supplied screws are suitable or should be replaced with fasteners more suitable for the specified worktop substrate and thickness.

Tables Features

Materials Information

Frame Finish

Steel Multi-Leg Spacer


a. Black Powdercoat

Steel Outrigger


a. Black Powdercoat

Powerbox Management

Multi-Leg Spacers




Multileg Spacer




Worktop Management

Outriggers



Outrigger



Multi-leg Spacers

Provided with frame, spacers can be removed on-site to provide placement of powerboxes without frame interference

Applies to all Multi-Leg Rectangle Frames

Outriggers

Additional Outriggers can be purchased to provide adequate worktop support on odd worktop splits

Outriggers available to suit SML, MED and LRG width Multi-Leg frames

Worktop screws are supplied for securing the tabletop to the table base. They are provided as a general recommendation and must be assessed for compatibility with the specific tabletop substrate material and thickness. It is the responsibility of the installation team to determine whether the supplied screws are suitable or should be replaced with fasteners more suitable for the specified worktop substrate and thickness.



Specification

If you would like a sample set of any of our finishes, please call us on 61 (0)2 9726 7177 or e-mail at sales@thinkingw.com.

Due to our policy of continuous product development, specifications and finishes may change without prior notice.

Sustainability

Our commitment to sustainability isn't driven by trends, it is guided by our belief that doing the right thing is the only way forward. From product certifications to responsible sourcing, we are committed to taking meaningful action across every part of our business. To learn more about our sustainability journey, visit the Thinking Works website or contact our Sustainability & ESG Manager using the details below.

Thinking Works
© Copyright 2026
All right reserved

Thinking Works
Warehouse 2B/M5 Industry Park
1 Moorebank Ave, Moorebank
New South Wales 2170
Australia

www.thinkingw.com
61 (0)2 9726 7177
sales@thinkingw.com