



Bambusa Stix

Specification Guide

Bambusa Stix


Inspired by natural and timeless building techniques to support a modern work environment.

A design led desk and table system inspired by the honest and simplistic construction of bamboo scaffolding. Stix uses extrusions, die castings and steel tubular profiles to create its unique style.

Bambusa Stix


Electric

6 – 9




Fixed

10 – 14



Accessories

15 – 27




A line drawing of a desk with an adjustable stand. The stand is made of bamboo and has a vertical pole with a horizontal bar that can be moved up and down. The desk is shown from a side-on perspective, and the stand is attached to the underside of the desk. The text "Bambusa Stix" is written in a bold, sans-serif font across the middle of the image.

Bambusa Stix

Bambusa Stix Finishes


1. Frame Powdercoat

Stix steel and aluminium frame is available in Noir and Blanc powdercoat.



2. Cable Tray

Our cable management tray is available in Noir and Blanc powdercoat.




3. Acoustic Screen

Our unique Stix screen is available in Dark Grey and Light Grey acoustic panel. Screen mounts are finished in Noir and Blanc powdercoat.



4. Framed Acoustic Screen

Stix framed screen is available in Dark Grey and Light Grey acoustic panel or upholstered with customer supplied fabric. The aluminium frame is finished in Noir and Blanc powdercoat.



Colours are representative only, please check with your Thinking Works consultant to view samples of any specific colour.

Electric Single Sided

Materials Information

Leg & Foot Finish

Powdercoat Steel Leg & Foot

- Noir
- Blanc

Frame Finish

Powdercoat Steel

- Noir
- Blanc

Control Box & Handset Finish

- Black

Operating Noise Level

<50Db

Additional Frame Cross-Beam Accessory Rail

Optional for Electric Single Sided 1200-2100mm WP

Optional for Electric 90/120deg 1400-1800mm WP

Required for Electric 90/120deg 1801-2100mm WP

Accessory Rail not required if Cable tray is fitted.

Height Range

600mm to 1250mm to underside of worktop

Travel Speed

35/mm per second

Glide Adjustment

Plus or minus 5mm

Handset

3 programmable height settings with display



Maximum inc. worktop 100kg

Maximum Point Load 30kg


Seats 1

****Worktop length can be up to 2100mm with extra side overhang**


SRE-1001 1pax



SRE-1090 1pax 90deg



SRE-1120 1pax 120deg



Electric Double Sided

Materials Information

Leg & Foot Finish

Powdercoat Steel Leg & Foot

- a. Noir
- b. Blanc

Frame Finish

Powdercoat Steel

- a. Noir
- b. Blanc

Control Box & Handset Finish

- a. Black

Operating Noise Level

<50Db

Height Range

600mm to 1250mm to underside of worktop

Travel Speed

35/mm per second

Glide Adjustment

Plus or minus 5mm

Handset

3 programmable height settings with electronic display





Maximum inc. worktop	150kg
Maximum Point Load	30kg
Seats	2

*100mm gap required when using rear mounted screens

**Worktop length can be up to 2100mm with extra side overhang


SRE-2002 2pax

H-Frame




2x SRE-2002

4pax Configuration



3x SRE-2002

6pax Configuration



Electric Double Sided

Materials Information

Leg & Foot Finish

Powdercoat Steel Leg & Foot

- a. Noir
- b. Blanc

Frame Finish

Powdercoat Steel

- a. Noir
- b. Blanc

Control Box & Handset Finish

- a. Black

Operating Noise Level

<50Db

Height Range

600mm to 1250mm to underside of worktop

Travel Speed

35/mm per second

Glide Adjustment

Plus or minus 5mm

Handset

3 programmable height settings with electronic display

Maximum inc. worktop 150kg

Maximum Point Load 30kg


Seats 3 - 4

*100mm gap required when using rear mounted screens

**Worktop length can be up to 2100mm with extra side overhang


SRE-3120 3pax

120deg H-Frame



SRE-4090 4pax

90deg H-Frame



Electric Double Sided

Materials Information

Leg & Foot Finish

Powdercoat Steel Leg & Foot

- a. Noir
- b. Blanc

Frame Finish

Powdercoat Steel

- a. Noir
- b. Blanc

Control Box & Handset Finish

- a. Black

Operating Noise Level

<50Db

Height Range

600mm to 1250mm to underside of worktop

Travel Speed

35/mm per second

Glide Adjustment

Plus or minus 5mm

Handset





3 programmable height settings with electronic display

Maximum inc. worktop	150kg
Maximum Point Load	30kg
Seats	4

***100mm gap required when using rear mounted screens**

SRE-4090-24 4pax

90deg H-Frame



Fixed Single Sided

Materials Information

Leg & Foot Finish

Powdercoat Steel Leg & Foot


- a. Noir
- b. Blanc

Frame Finish

Powdercoat Steel

- a. Noir
- b. Blanc

SRF-1001 1pax



SRF-1002 2pax

SRF-1003 3pax

Glide Adjustment

Plus or minus 5mm

Maximum inc. worktop 100kg
Maximum Point Load 30kg
Seats 1-3

Fixed Single Sided

Materials Information

Leg & Foot Finish

Powdercoat Steel Leg & Foot

- a. Noir
- b. Blanc

Frame Finish

Powdercoat Steel

- a. Noir
- b. Blanc




Glide Adjustment

Plus or minus 5mm

Maximum inc. worktop	100kg
Maximum Point Load	30kg
Seats	1



SRF-1090 1pax

90deg



SRF-1120 1pax

120deg



Fixed Double Sided

Materials Information

Leg & Foot Finish

Powdercoat Steel Leg & Foot

- a. Noir
- b. Blanc

Frame Finish

Powdercoat Steel

- a. Noir
- b. Blanc

Glide Adjustment

Plus 85mm



Minus 5mm

Maximum inc. worktop 100kg
Maximum Point Load 30kg
Seats 2-6


***100mm gap required when using rear mounted screens**

SRF-2002 2pax


H-Frame



SRF-2004 4 pax



SRF-2006 6 pax



Fixed Double Sided

Materials Information

Leg & Foot Finish

Powdercoat Steel Leg & Foot

- a. Noir
- b. Blanc

Frame Finish

Powdercoat Steel

- a. Noir
- b. Blanc

Glide Adjustment

Plus 90mm

Minus 5mm

Maximum inc. worktop 100kg



Maximum Point Load 30kg

Seats 3-4

***100mm gap required when using rear mounted screens**



SRF-3120 3pax

120deg H-Frame



SRF-4090 4pax

90deg H-Frame



Fixed Double Sided

Materials Information

Leg & Foot Finish

Powdercoat Steel Leg & Foot

- a. Noir
- b. Blanc

Frame Finish

Powdercoat Steel

- a. Noir
- b. Blanc

Glide Adjustment

Plus 90mm

Minus 5mm

Maximum inc. worktop 100kg




Maximum Point Load 30kg

Seats 3-4

***100mm gap required when using rear mounted screens**

SRF-4090-24 4pax

90deg H-Frame



Accessories

Cable Management

Materials Information

Cable Tray Body

Powdercoat Aluminium

- a. Noir
- b. Blanc

Cable Tray Lid

Powdercoat Aluminium Extrusion

- a. Noir
- b. Blanc



Cable Tray End Caps

Plastic

- a. Noir
- b. Blanc



WSA-1100 Series

Single Sided Cable Tray



WSA-2000 Series

Double Sided Cable Tray



Accessories

Cable Management

Materials Information

WSA-5010 Series

Cable Tray Bridge

175-250mm

Cable Tray Bridge Body




Powdercoat Aluminium

- a. Noir
- b. Blanc

Cable Tray Bridge Lid

Powdercoat Aluminium Extrusion

- a. Noir
- b. Blanc



Accessories

Cable Management / Cross-Beam Accessory Rail

Materials Information

Fabric Umbilical

Fabric

- a. Light Grey
- b. Dark Grey



Cross-Beam Accessory Rail

Powdercoat Aluminium Cross-Beam

- a. Noir - to match frame
- b. Blanc - to match frame

WSA-5002

Cable Umbilical




Umbilical Capacity

1 × 6mm 10amp power leads in conduit
4 × 6mm Cat 4 / Cat 6 data cables

SRA-5100

Cross-Beam Accessory Rail




Notes:

*Please check that position of Umbilical does not interfere with desk frame, cable management, monitor arms, power rails & worktop cutouts / scoops.

**Additional Frame Cross-Beam Accessory Rail
Optional for Electric Single Sided 1200-2100mm WP

Optional for Electric 90/120deg 1400-1800mm WP
Required for Electric 90/120deg 1801-2100mm WP

Accessory Rail not required for Electric Single Sided
if Cable tray is fitted.



Accessories

Power Pocket

Materials Information

Power Pocket Bracket

Powdercoat Steel

a. Noir

Fabric Cable Pocket

Fabric

a. Light Grey

b. Dark Grey

Power options for different countries available:

a. 4 x Power & 2 x Data (AUS)





b. 6 x Power (AUS)

c. 4 x Power & 2 x Data (UK)

d. 6 x Power (UK)


WSA-5003

Power Pocket




Power & Data Configurations:


a. Australia 4 x GPO & 2 x Data




b. Australia 6 x GPO



c. UK 4 x GPO & 2 x Data



d. UK 6 x GPO



Notes:

*GPOs and Data not included

**Please check that position of Power Pocket does not interfere with desk frame, umbilical, monitor arms, power rails & worktop cutouts / scollops.

Accessories

Power Modesty

Materials Information

Power Pocket Bracket

Powdercoat Steel

a. Noir

Fabric Cable Modesty

Fabric

a. Light Grey

b. Dark Grey

Power options for different countries available:

a. 4 x Power & 2 x Data (AUS)

b. 6 x Power (AUS)

c. 4 x Power & 2 x Data (UK)

d. 6 x Power (UK)


Notes:

*GPOs and Data not included

**Please check that position of Power Modesty does not interfere with desk frame, umbilical, monitor arms, power rails & worktop cutouts / scollops.


WSA-5004

Power Modesty - Small



WSA-5005

Power Modesty - Large



Accessories

Power Pocket + Modesty - Extended Power/Data

Materials Information

Power Pocket Bracket

Powdercoat Steel

a. Noir

Fabric Cable Pocket/Modesty

Fabric


a. Light Grey

b. Dark Grey

Power options*:


a. 6 x Power & 2 x Data (AUS)

Mounting Plate To Suit 6 GPOS + 2 Data



Power & Data Configurations:


a. Australia 6 x GPO & 2 x Data



WSA-5015

Power Pocket


With Extended Power/Data



WSA-5016

Power Modesty - Small


With Extended Power/Data



WSA-5017

Power Modesty - Large

With Extended Power/Data



Notes:

*GPOs and Data not included

**Please check that position of Power Modesty does not interfere with desk frame, umbilical, monitor arms, power rails & worktop cutouts / scoops.

Accessories

Framed Acoustic Screens

Materials Information

Framed Acoustic Screen

PET Panel

- a. Light Grey
- b. Dark Grey
- c. Upholstered -
(Customer Supplied Fabric)

Screen Frame

Powdercoat Aluminium Screen Mount and Extrusion

- a. Noir
- b. Blanc

Acoustic Screen

PET Screen Panel

- a. Light Grey
- b. Dark Grey

Screen Mounts

Powdercoat Aluminium Screen Mount


- a. Noir
- b. Blanc

** Slide-on Worktop Bracket only available for 325mmH screens

WSA-4121/ WSA-4131

Worktop Mounted Framed Acoustic Screen


WORKTOP LENGTH*	SCREEN LENGTH
1200	1150
1500	1450
1600	1550
1800	1750
2000	1950



26mm

WSA-4121 - Bolt through Worktop Mount


WSA-4131 - includes Slide-on Worktop Bracket Option**



WSA-4101/ WSA-4151

Central Mounted Framed Acoustic Screen


WORKTOP LENGTH*	SCREEN LENGTH
1200	1150
1500	1450
1600	1550
1800	1750
2000	1950



26mm

WSA-4101 - mounts directly to Single Sided or Double Sided Crossbeam

WSA-4151 - requires horn mounting plates. Refer to pg 25



Accessories

Frameless Upholstered Screens

Materials Information

Upholstered Screen

Fabric

- a. Upholstered - (Customer Supplied Fabric)
- b. Thinking Works Preferred Fabric



Screen Mounts

Powdercoat Aluminium Screen Mount and Extrusion


- a. Noir
- b. Blanc

WSA-6020 / WSA-6030


Worktop Mounted Upholstered Lovoc Screen



WSA-6020
Bolt through
Worktop Mount




WSA-6030 - includes Slide-on Worktop Bracket Option**





WSA-6000/ WSA-6050

Central Mounted Upholstered Lovoc Screen



WSA-6000 - mounts directly to Single Sided or Double Sided Crossbeam



WSA-6050 - requires horn mounting plates. Refer to pg 25

***Note:**
For further information regarding Lovoc upholstered screens refer to Lovoc Tech Spec.

****Note:**
Shown sizes are for rectangular Worktops only. For screens to suit 90°, 120° & clusters - please consult your Thinkingworks representative.

Accessories

PET Acoustic Screens

Materials Information

Acoustic Screen

PET Screen Panel

- a. Light Grey
- b. Dark Grey

Screen Mounts

Powdercoat Aluminium Screen Mount and Extrusion

- a. Noir
- b. Blanc

WSA-4021 / WSA-4031

Worktop Mounted Acoustic PET Screen

SCREEN SIZE	WORKTOP LENGTH*	SCREEN LENGTH
Small	1200 - 1300	1100 - 1300
Medium	1301 - 1800	1300 - 1700
Large	1801 - 2100	1700 - 1900

Height from Worktop

307 / 522mm

285 / 500mm

24mm

WSA-4021 Bolt through Worktop Mount

WSA-4031 - includes Slide-on Worktop Bracket Option**

WSA-4001 / WSA-4051

Central Mounted Acoustic PET Screen

SCREEN SIZE	WORKTOP LENGTH*	SCREEN LENGTH
Small	1200 - 1300	1100 - 1300
Medium	1301 - 1800	1300 - 1700
Large	1801 - 2100	1700 - 1900

Height from Floor Level

1035 / 1250

285 / 500mm

24mm

WSA-4001 - mounts directly to Single Sided or Double Sided Crossbeam

WSA-4051 - requires horn mounting plates. Refer to pg 25

** Slide-on Worktop Bracket only available for 285mmH screens

Accessories

PET Acoustic Screens

Materials Information

Acoustic Screen

PET Screen Panel

- a. Light Grey
- b. Dark Grey

Screen Mounts





Powdercoat Aluminium Screen Mount and Extrusion

- a. Noir
- b. Blanc

WSA-4601

Central Mounted Acoustic PET Screen

SCREEN SIZE	WORKTOP LENGTH*	SCREEN LENGTH
Small	1200 - 1300	1100 - 1300
Medium	1301 - 1800	1300 - 1700
Large	1801 - 2100	1700 - 1900



WSA-4601 - mounts directly to Single Sided or Double Sided Crossbeam

Accessories

PET Acoustic Screens

Materials Information

Acoustic Screen

PET Panel

- a. Light Grey
- b. Dark Grey

Screen Mounts




Powdercoat Steel Screen Mount

- a. Noir
- b. Blanc

WSA-4541

Rear Mounted Acoustic Screen & Modesty - Double sided




SCREEN SIZE	WORKTOP LENGTH*	SCREEN LENGTH
Small	1200 - 1300	1100 - 1300
Medium	1301 - 1800	1300 - 1700
Large	1801 - 2100	1700 - 1900



WSA-4441

Rear Mounted Acoustic Screen & Modesty - Single sided

SCREEN SIZE	WORKTOP LENGTH*	SCREEN LENGTH
Small	1200 - 1300	1100 - 1300
Medium	1301 - 1800	1300 - 1700
Large	1801 - 2100	1700 - 1900



Accessories


Screen Mounts

Materials Information


WSA-5022 ~ WSA-5026 Stix Horn Mount Plate Sets

Horn Mount Plates
Steel

- a. Noir
- b. Blanc



PRODUCT CODE	STX-0204 SCREEN HORN MOUNT PLATE SUITS END LEG	STX-0205 SCREEN HORN MOUNT PLATE SUITS MIDDLE LEG
WSA-5022	x 2	x 1
WSA-5023	x 2	x 2
WSA-5024	x 2	x 3
WSA-5025	x 2	x 4
WSA-5026	x 2	x 5



Accessories

Frame Mounted Cable Cover

Materials Information

Cable Cover

Powdercoat Steel



- a. Noir
- b. Blanc

Available in different lengths:

- a. 900mm
- b. 1350mm

WSA-5006 / 5007 / 5008

Frame Mounted Cable Cover




WORKTOP LENGTH*	COVER LENGTH
1200 - 1800	900
1850 - 2000	1350



Electric Safety Features

Impact Stop

- Impact Stop system minimises damage to Electric Height Adjustable frames from contact with objects obstructing the path of movement
- Impact Stop initiates while frame is lowering or raising, when 1 second of resistance from an obstruction is detected.
- When resistance is detected, desk will automatically stop then move 50mm in opposite direction in order to clear obstruction.





Specification

If you would like a sample set of any of our finishes, please call us on 61 (0)2 9726 7177 or e-mail at sales@thinkingw.com.

Due to our policy of continuous product development, specifications and finishes may change without prior notice.

Sustainability Policy

We realise the importance of responsible business practices and have in place numerous product and company sustainability certifications. We would encourage you to download our annual Sustainability Report from the Thinking Works website to get a full overview of our sustainability program.

Thinking Works
© Copyright 2020
All right reserved

Thinking Works
15-23 Helles Avenue
Moorebank
New South Wales 2170

www.thinkingw.com
61 (0)2 9726 7177
sales@thinkingw.com