



Lovoc

Specification Guide

Lovoc

A modular, sustainable workstation screen designed with the entire product lifecycle in mind.

Our patented manufacturing process eliminates stitching and minimises glue usage, enabling easy disassembly and recycling of all raw materials at its end of life. The result is an environmentally responsible product that emits very low VOCs*.


Lovoc screens are flat-packed for minimal carbon footprint during transportation.

* VOC: Volatile Organic Compounds


3rd Party tested 0.013 mg/m²/hr which is 38 times lower than the acceptable VOC emission rate of less than 0.500 mg/m²/hr.

Lovoc


Worktop Mounted 6 – 9



Frame Mounted 10 – 14



Accessories 20



A minimalist line drawing of a mobile phone, showing the front face and a portion of the back. The phone has a rectangular shape with rounded corners. A small, oval-shaped cutout is visible near the bottom edge of the front face. The word "Lovoc" is printed in a bold, sans-serif font across the middle of the phone's front face. The drawing is composed of thin, dark lines on a white background.

Lovoc

Lovoc Finishes

1. Screen Bracket

Our screen mounts are available in Noir and Blanc powdercoat to match table frame



2. Upholstered Screen

a. Upholstered - Customer Supplied Fabric


Due to the technical requirements most customer supplied fabrics require PU foam.

b. Upholstered - Thinking Works recommended fabric

The unique and patented manufacturing process of Lovoc allows outstanding sustainability. To maintain the high level of sustainability, Thinking works recommends the following fabric ranges:

i. Upholstered - Woven Image Global

Woven Image's GLOBAL fabric range is low VOC certified and fire rated to AS 1530.3 and AS 3837 (Group 1 material). It can be upholstered without the need of PU foam backing whilst using 97% less adhesives than similar traditionally made screens. As a result, Lovoc screens can be made to a shorter production time. GLOBAL is available in range of 25 colours and stocked in Australia.



*Two tone upholstery is possible

**Lead times may vary depending on the availability of fabrics.

Colours are representative only, please check with your Thinking Works consultant to view samples of any specific colour.

Lovoc Finishes

2. Upholstered Screen

ii. Upholstered - Warwick Foster

Warwick's Foster fabric range is Oeko-Tex certified; fire rated in accordance with AS1530.3; and has Halo easy-clean benefits. It can be upholstered without the use of PU foam backing whilst keeping the use of adhesives to a minimum. As a result, Lovoc screens with FOSTER fabric are not only sustainable but can also be made to a shorter production time. FOSTER is available in range of 12 colours and stocked in Australia.



iii. Upholstered - Warwick Brooklyn


Warwick's Brooklyn fabric range is also Oeko-Tex certified; fire rated in accordance with AS1530.3; and has Halo easy-clean benefits. It is another fabric range that can be upholstered without the use of PU foam backing whilst keeping the use of adhesives to a minimum. This ensures the Lovoc screen is as sustainable as possible and speeds up the manufacturing process. Brooklyn is available in a range of 14 colours and stocked in Australia.



Lovoc Screens are designed to be disassembled at the end of the product life and split up in the recycling streams of each material. This can only be achieved if the fabric is not foam backed. Please take this into consideration when specifying the fabric.

*Two tone upholstery is possible

**Lead times may vary depending on the availability of the fabric
Colours are representative only, please check with your Thinking Works consultant to view samples of any specific colour.



Lovoc

Worktop Mounted Upholstered Screen

Materials Information

Upholstered Screen

Fabric

- a. Customer Supplied Fabric
- b. Thinking Works Preferred Fabric




Screen Mounts

Powdercoat Aluminium Screen Mount and Extrusion

- a. Noir
- b. Blanc



WSS-I-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series

Worktop Mounted - Bolt Through Mounted - Lovoc Screen




WSS-I-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series

Worktop Mounted - Slide On - Lovoc Screen



Slide-on Worktop Bracket



*Note:

Shown sizes are for rectangular Worktops only. For screens to suit 90°, 120° & clusters - please consult your Thinking Works representative.

Lovoc

Worktop Rear Mounted Upholstered Screen

Materials Information

Upholstered Screen

Fabric

- a. Customer Supplied Fabric
- b. Thinking Works Preferred Fabric

Screen Mounts

Powdercoat Aluminium Screen Mount and Extrusion

- a. Noir
- b. Blanc




Compatibility:

Single-sided Workstations:
85 / 300mm Modesty

Double-sided Workstations:
85mm Modesty




WSS-I-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series

Worktop Mounted - I-Shape - Lovoc Screen - 2 Brackets



WSS-I-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series

Worktop Mounted - I-Shape - Lovoc Screen - 4 Brackets



*Note:

200-640mm Height Range A
641-850mm Height Range B

**Note:

For custom offset please consult your Thinking Works representative.

***Note:

Screen can be flush to worktop or with 20mm gap.
Compatible with shark nose (see page 13 & 14).

****Note:

Shown sizes are for rectangular Worktops only.
For screens to suit 90°, 120° & clusters - please consult your Thinking Works representative.

Lovoc

Worktop Rear Mounted Upholstered Screen

Materials Information

Upholstered Screen

Fabric

- Customer Supplied Fabric
- Thinking Works Preferred Fabric

Screen Mounts

Powdercoat Aluminium Screen Mount and Extrusion

- Noir
- Blanc

Compatibility:

Single-sided Workstations:
85 / 300mm Modesty

Double-sided Workstations:
85mm Modesty

*Note:

200-640mm Height Range A
641-850mm Height Range B

**Note:

For custom offset please consult your Thinking Works representative.


***Note:

Screen can be flush to worktop or with 20mm gap.
Compatible with shark nose (see page 13 & 14).


****Note:

Shown sizes are for rectangular Worktops only.
For screens to suit 90°, 120° & clusters - please consult your Thinking Works representative.


WSS-90-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series




Worktop Mounted - 90° L-Shape LHS - Lovoc Screen - 3 Brackets



WSS-90-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series



Worktop Mounted - 90° L-Shape LHS - Lovoc Screen - 5 Brackets



Lovoc

Worktop Rear Mounted Upholstered Screen

Materials Information

Upholstered Screen

Fabric

- a. Customer Supplied Fabric
- b. Thinking Works Preferred Fabric

Screen Mounts

Powdercoat Aluminium Screen Mount and Extrusion


- a. Noir
- b. Blanc

Compatibility:



Single-sided Workstations:
85 / 300mm Modesty

Double-sided Workstations:
85mm Modesty


WSS-90-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series





Worktop Mounted - 90° L-Shape RHS - Lovoc Screen - 3 Brackets



WSS-90-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series



Worktop Mounted - 90° L-Shape RHS - Lovoc Screen - 5 Brackets



*Note:

200-640mm Height Range A
641-850mm Height Range B

**Note:

For custom offset please consult your Thinking Works representative.

***Note:

Screen can be flush to worktop or with 20mm gap.
Compatible with shark nose (see page 13 & 14).

****Note:

Shown sizes are for rectangular Worktops only.
For screens to suit 90°, 120° & clusters - please consult your Thinking Works representative.

Lovoc

Worktop Rear Mounted Upholstered Screen

Materials Information

Upholstered Screen

Fabric

- a. Customer Supplied Fabric
- b. Thinking Works Preferred Fabric

Screen Mounts

Powdercoat Aluminium Screen Mount and Extrusion

- a. Noir
- b. Blanc




Compatibility:

Single-sided Workstations:
85 / 300mm Modesty

Double-sided Workstations:
85mm Modesty




WSS-120-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series

Worktop Mounted - 120° L-Shape LHS - Lovoc Screen - 3 Brackets



WSS-120-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series

Worktop Mounted - 120° L-Shape LHS - Lovoc Screen - 5 Brackets



*Note:

200-640mm Height Range A
641-850mm Height Range B

**Note:

For custom offset please consult your Thinking Works representative.

***Note:

Screen can be flush to worktop or with 20mm gap.
Compatible with shark nose (see page 13 & 14).

****Note:

Shown sizes are for rectangular Worktops only.
For screens to suit 90°, 120° & clusters - please consult your Thinking Works representative.

Lovoc

Worktop Rear Mounted Upholstered Screen

Materials Information

Upholstered Screen

Fabric

- Customer Supplied Fabric
- Thinking Works Preferred Fabric

Screen Mounts

Powdercoat Aluminium Screen Mount and Extrusion

- Noir
- Blanc




Compatibility:

Single-sided Workstations:
85 / 300mm Modesty

Double-sided Workstations:
85mm Modesty




WSS-120-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series

Worktop Mounted - 120° L-Shape RHS - Lovoc Screen - 3 Brackets



WSS-120-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series

Worktop Mounted - 120° L-Shape RHS - Lovoc Screen - 5 Brackets



*Note:

200-640mm Height Range A
641-850mm Height Range B

**Note:

For custom offset please consult your Thinking Works representative.

***Note:

Screen can be flush to worktop or with 20mm gap.
Compatible with shark nose (see page 13 & 14).

****Note:

Shown sizes are for rectangular Worktops only.
For screens to suit 90°, 120° & clusters - please consult your Thinking Works representative.

Lovoc

Worktop Rear Mounted Upholstered Screen

Materials Information

Upholstered Screen

Fabric

- Customer Supplied Fabric
- Thinking Works Preferred Fabric

Screen Mounts

Powdercoat Aluminium Screen Mount and Extrusion

- Noir
- Blanc






Compatibility:

Single-sided Workstations:
85 / 300mm Modesty

Double-sided Workstations:
85mm Modesty


WSS-U-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series

Worktop Mounted - U-Shape - Lovoc Screen - 4 or 6 Brackets



Notch indicates worktop position for 20mm gap

Shorter side bracket prevents interference with desk frame.
Applies to all rear worktop mounted Lovoc Screens.



*Note:

200-640mm Height Range A
641-850mm Height Range B

**Note:

Screen can be flush to worktop or with 20mm gap.
Compatible with shark nose (see page 13 & 14).

***Note:

Shown sizes are for rectangular Worktops only.
For screens to suit 90°, 120° & clusters - please consult your Thinking Works representative.

Lovoc

Rear Worktop Mounting Positions

Materials Information

Upholstered Screen

Fabric

- Customer Supplied Fabric
- Thinking Works Preferred Fabric

Screen Mounts

Powdercoat Aluminium Screen Mount and Extrusion

- Noir
- Blanc

Information:

Rear mounted Lovoc can be flush to worktop or with 20mm at rear. All brackets are suitable for 10mm x 60° shark nose edge. Applies to all rear worktop mounted LV screens.

Lovoc rear worktop mounted bracket positions

No gap at rear edge	20mm gap at rear edge
<p>Brackets</p> <div data-bbox="763 416 1211 651"> <p>Standard Edge Flush</p> <p>Shark Nose Edge Flush</p> </div>	<div data-bbox="1547 416 1995 651"> <p>Standard Edge 20mm Rear Gap</p> <p>Shark Nose Edge 20mm Rear Gap</p> </div>
<p>I-Shape Rear Mounted Screens</p> <div data-bbox="725 762 1366 983"> <p>45</p> <p>Q</p> <p>Flush</p> <p>60</p> <p>90mm Rear Bracket</p> </div>	<div data-bbox="1518 762 2168 983"> <p>45</p> <p>Q</p> <p>20mm Rear Gap*</p> <p>60</p> <p>90mm Rear Bracket</p> </div>
<p>L-Shape</p> <div data-bbox="613 1174 1375 1417"> <p>R40 Worktop</p> <p>50</p> <p>Flush</p> <p>45</p> <p>Flush</p> <p>60</p> <p>90mm Rear Bracket</p> <p>53mm Side Bracket</p> </div>	<div data-bbox="1402 1174 2168 1417"> <p>R40 Worktop</p> <p>50</p> <p>45</p> <p>20mm Rear Gap*</p> <p>60</p> <p>90mm Rear Bracket</p> <p>53mm Side Bracket</p> </div>

*Note:

On double sided workstations the position of the worktop needs to come forward by 20mm to make room for rear mounted screens with 20mm gap.

Lovoc

Rear Worktop Mounting Positions

Materials Information

Upholstered Screen

Fabric

- Customer Supplied Fabric
- Thinking Works Preferred Fabric

Screen Mounts

Powdercoat Aluminium Screen Mount and Extrusion

- Noir
- Blanc

Information:

Rear mounted Lovoc can be flush to worktop or with 20mm at rear. All brackets are suitable for 10mm x 60° shark nose edge. Applies to all rear worktop mounted LV screens.

Lovoc rear worktop mounted bracket positions

Rear side flush	20mm rear gap
<p>Brackets</p> <div data-bbox="763 416 954 651"> <p>Standard Edge Flush</p> </div> <div data-bbox="1025 416 1216 651"> <p>Shark Nose Edge Flush</p> </div>	<div data-bbox="1547 416 1738 651"> <p>Standard Edge 20mm Rear Gap</p> </div> <div data-bbox="1809 416 2000 651"> <p>Shark Nose Edge 20mm Rear Gap</p> </div>
<p>I-Shape Rear Mounted Screens</p> <p>Diagram showing I-Shape Rear Mounted Screens with Flush mounting. Dimensions include: R40 Worktop, 35mm bracket offset, 120° angle, 40mm bracket offset, 53mm Side Bracket, Flush, 60mm bracket offset, 90mm Rear Bracket.</p>	<p>Diagram showing I-Shape Rear Mounted Screens with 20mm Rear Gap mounting. Dimensions include: R40 Worktop, 45***mm bracket offset, 120° angle, 40mm bracket offset, 53mm Side Bracket, 20mm Rear Gap*, 50***mm bracket offset, 90mm Rear Bracket.</p>
<p>L-Shape</p> <p>Diagram showing L-Shape mounting with Flush. Dimensions include: R40 Worktop, 50mm bracket offset, 45mm bracket offset, 90mm Bracket, 40mm bracket offset, 2 x 53mm Side Bracket.</p>	<p>Diagram showing L-Shape mounting with 20mm Rear Gap. Dimensions include: R40 Worktop, 50mm bracket offset, 45mm bracket offset, 90mm Bracket, 40mm bracket offset, 2 x 53mm Side Bracket, 20mm Rear Gap*.</p>

*Note:

On double sided workstations the position of the worktop needs to come forward by 20mm to make room for rear mounted screens with 20mm gap.

Lovoc Split Screen Design

Design Information

Split Screen



Split Screen Design

At Thinking Works, we are constantly striving to improve our products to achieve the best possible result.

We strongly believe that a sustainable product should be transported in the most sustainable way. The Lovoc Split Screen design allows all U- and L-shaped Lovoc Screens to be split into flat sections for more compact transportation. The new design reduces the carbon footprint, carries less risk of damage during transport and improves handling on site.

Moreover, the split design significantly reduces freight costs.

The screen can be assembled without tools on site and won't come apart once fixed to the worktop.



Lovoc

Frame Mounted Upholstered Screen

Materials Information

Upholstered Screen

Fabric

- a. Customer Supplied Fabric
- b. Thinking Works Preferred Fabric

Screen Mounts

Powdercoat Aluminium Screen Mount and Extrusion

- a. Noir
- b. Blanc

Compatibility:

Single Side beam mount compatible with:

- a. Ovation - Fixed - single-sided
- b. Ovation - Electric - single-sided

Double side beam mount compatible with: WSS-I-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series

- a. Ovation - Fixed - double-sided
- b. Ovation - Electric - double-sided
- c. Bambusa Stix - Electric - double-sided

*Note:



Shown sizes are for rectangular Worktops only.
For screens to suit 90°, 120° & clusters - please consult your Thinking Works representative.

**Note:

When fitted to Ovation Fixed Height Clusters there are addition bridge brackets required to mount screens. Please refer to page 17.



WSS-I-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series

Frame Mounted - Single-Sided - Lovoc Screen



WSS-I-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series

Frame Mounted - Double-Sided - Lovoc Screen



Lovoc

Frame Mounted Upholstered Screen on Bambusa Stix - Fixed Height

Materials Information



WSS-I-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series

Stix Top Horn Mounted - Double-Sided - Lovoc Screen

- Upholstered Screen
- Fabric
- a. Customer Supplied Fabric

b. Thinking Works Preferred Fabric
- Screen Mounts
- Powdercoat Aluminium Screen Mount and Extrusion
- a. Noir

b. Blanc
- Compatible with:
- a. Bambusa Stix - Fixed - double-sided



PRODUCT CODE	STX-0204 SCREEN HORN MOUNT PLATE SUITS END LEG	STX-0205 SCREEN HORN MOUNT PLATE SUITS MIDDLE LEG
WSA-5022	x 2	x 1
WSA-5023	x 2	x 2
WSA-5024	x 2	x 3
WSA-5025	x 2	x 4
WSA-5026	x 2	x 5

***Note:**
WSS-I series screens require horn mounting plates when installed to fixed height Bambusa Stix .

****Note:**
Shown sizes are for rectangular Worktops only. For screens to suit 90°, 120° & clusters - please consult your Thinking Works representative.

Lovoc

Frame Mounted Upholstered Screen on Ovation - Fixed Height

Materials Information

Upholstered Screen Fabric

- a. Customer Supplied Fabric
- b. Thinking Works Preferred Fabric

Screen Mounts

Powdercoat Aluminium Screen Mount and Extrusion



- a. Noir
- b. Blanc

Compatible with:


- a. Bambusa Stix - Fixed - double-sided

WSS-I-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series


Single Sided Clusters



Ovation fixed height clusters require bridge brackets at each shared middle leg to mount screens.





At end leg the screens mount directly to cross beam.




WSA-5027
Bridge Bracket
sold separately

WSS-I-1460 / 1480 / 1860 / 1880 / 2160 / 2180 Series


Double Sided Clusters



Ovation fixed height clusters require bridge brackets at each shared middle leg to mount screens.



At end leg the screens mount directly to cross beam.



WSA-5027
Bridge Bracket
sold separately

***Note:**
WSS-I series screens may require a bridge bracket when installed to fixed height Ovation.

****Note:**
Shown sizes are for rectangular Worktops only. For screens to suit 90°, 120° & clusters - please consult your Thinking Works representative.

Lovoc

Screen Accessories

Materials Information


Screen Hook

Powder coated steel

- a. Noir
- b. Blanc
- c. Seasonal Colour

LVA-1000

Reversible Screen Hook




Screen Planter

Powder coated steel

- a. Noir
- b. Blanc
- c. Seasonal Colour

LVA-1001

Screen Planter





Screen Whiteboard

Powder coated steel

- a. Whiteboard Gloss

LVA-1002

Screen Whiteboard



Lovoc

Custom Services

Information

Combine

Combine multiple standard screens with 90° or 120° - or without returns to create tailored privacy screen solutions.

Change







Lovoc is a modular system that allows custom heights and length.

Choose

Most upholstery fabrics are compatible with Lovoc in some instances the fabric requires foam backing.

To create custom shapes, sizes or colours - please consult your Thinking Works representative for more information.

Combinations of standard screens and custom solutions





Specification

If you would like a sample set of any of our finishes, please call us on 61 (0)2 9726 7177 or e-mail at sales@thinkingw.com.

Due to our policy of continuous product development, specifications and finishes may change without prior notice.

Sustainability Policy

We realise the importance of responsible business practices and have in place numerous product and company sustainability certifications. We would encourage you to download our annual Sustainability Report from the Thinking Works website to get a full overview of our sustainability program.

Thinking Works
© Copyright 2023
All right reserved

Thinking Works
15-23 Helles Avenue
Moorebank
New South Wales 2170

www.thinkingw.com
61 (0)2 9726 7177
sales@thinkingw.com