



Hedge

Specification Guide


Hedge

Hedge provides a versatile semi-static visual and acoustic barrier for privacy without disturbing the office layout.


Easily moved, Hedge can be adapted to suit a variety of work styles including private or collaborative task needs and will enhance a flexible work environment.

Hedge


Single Screen 6




Double Screen 7



Corner Screen 8





Hedge

1. Plywood Frame


32mm hoop pine plywood

NATURAL TIMBER	BLACK STAIN	BLANC	BUTTER BABES
PINK SALT	DOUBLE CREAM	SCOTLAND SKY	GREEN SMOKE
TERRACOTTA WARRIOR	MARBLE ROCK	SHADOW TEAL	CAVE MOSS
MORELLO	PADDO CLAY	NOCTURNELLE	MOONSHINE

2. Acoustic Wall Covering

12mm PET Panel

GRANITE	THUNDER	SESAME	ZEST
ROSE	BUCK	CEYLON	BOTANICA
TERRANOVA	PAPERBARK	LAGUNA	CACTUS
PINOT	MOCHA	ADMIRAL	SPRIG



Colours are representative only, please check with your Thinking Works consultant to view samples of any specific colour.

Hedge

Single Screen

Materials Information

Frame Finish

32mm hoop pine plywood

- a. Natural
- b. Black Stain

Acoustic Foam


Acoustic Wall Covering

12mm PET panel


Base Finish

- a. Steel foot with glides
- b. Steel foot with castors

Single Screen



Single Screen with Castors



Width (W) 1000 / 1200mm
Height (H) 1400 / 1600 / 1800mm
Foot 500mm

PET
Composition 100% PET, 75% recycled
Sustainability Greentag certified. Greenrate level: A
VOC emission <0.002mg/m²/hr

Hedge

Double Screen

Materials Information

Frame Finish

32mm hoop pine plywood

- a. Natural
- b. Black Stain

Acoustic Foam


Acoustic Wall Covering

12mm PET panel

Base Finish

- a. Steel foot with glides

Double Screen



Width (W)	1400 / 1600 / 1800mm
Height (H)	1400 / 1600 / 1800mm
Foot	500mm

PET	
Composition	100% PET, 75% recycled
Sustainability	Greenguard: Gold standard certified
VOC emission	<0.002mg/m²/hr


Hedge

Corner Screen (single or double)

Materials Information

- Frame Finish**
32mm hoop pine plywood
- a. Natural
 - b. Black Stain
- Acoustic Foam**
- Acoustic Wall Covering**
12mm PET panel
- Base Finish**
- a. Steel foot with glides

Corner Screen



Width narrow screen (W)	1000 / 1200mm
Width wide screen (W)	1400 / 1600 / 1800mm
Height (H)	1400 / 1600 / 1800mm
Foot	500mm

PET	
Composition	100% PET, 75% recycled
Sustainability	Greenguard: Gold standard certified
VOC emission	<0.002mg/m²/hr



Specification

If you would like a sample set of any of our finishes, please call us on 61 (0)2 9726 7177 or e-mail at sales@thinkingw.com.

Due to our policy of continuous product development, specifications and finishes may change without prior notice.

Sustainability Policy

We realise the importance of responsible business practices and have in place numerous product and company sustainability certifications. We would encourage you to download our annual Sustainability Report from the Thinking Works website to get a full overview of our sustainability program.

Thinking Works
© Copyright 2025
All right reserved

www.thinkingw.com

sales@thinkingw.com